



KITCHEN EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

1.5 HP EUROPEAN BAND SAWS

Item: 10252 Model: BS-IT-1524 / Item: 17875 Model: BS-IT-1829-M / Item: 10254 Model: BS-IT-1829-L

DESIGNED FOR PROFESSIONAL USE

This band saw is ideal for butcher shops, hotels, restaurant kitchens, and supermarkets. Perfect for cutting both fresh and frozen meat/fish and bones.

The durable structure is constructed with high quality powder-painted aluminum.

Easy to clean and safe to use.



10254



17875



10252

Actual products may not be exactly as shown.



LIMITED WARRANTY
PARTS AND LABOR



Authorized Dealer

FOOD EQUIPMENT

1.5 HP EUROPEAN BAND SAWS WITH 60" BLADE LENGTH




FEATURES


- Stainless Steel AISI 304 work surface
- Stainless Steel AISI 304 portioning device
- Polished Aluminum Meat Pusher
- Die-cast aluminum pulleys for a maximum adherence of the saw blade
- Microswitch to the door
- Adjustable tension grip with spring and indicator of position

TECHNICAL SPECIFICATION

| | |
|------------------------|--|
| ITEM NUMBER | 10252 |
| MODEL | BS-IT-1524 |
| BLADE LENGTH | 60"/ 1524 mm |
| CUTTING CAPACITY (H*W) | 7.48" x 7.28"/ 190 x 185 mm |
| POWER | 1.5 HP / 1.12 kW |
| ELECTRICAL | 110V/60Hz/1 |
| WEIGHT | 71 lbs./ 32 kg |
| PACKAGING WEIGHT | 79.5 lbs/ 36 kg |
| DIMENSIONS (WDH) | 17.5" x 19.5" x 28.5"/ 444.5 x 495 x 724 mm |
| PACKAGING DIMENSIONS | 37" x 19" x 17"/ 940 x 482.6 x 432 mm |



Sliding blocks for saw blade cleaning



Blade protection



60" long saw blade



On/Off Switch




Motor



Device portion



Blade tension knob



Driving Pulley

OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2015.E.O.E

FOOD EQUIPMENT

1.5 HP EUROPEAN BAND SAWS WITH 72" BLADE LENGTH



FEATURES


- Stainless Steel AISI 304 work surface
- Stainless Steel AISI 304 portioning device
- Polished Aluminum Meat Pusher
- Die-cast aluminum pulleys for a maximum adherence of the saw blade
- Microswitch to the door
- Adjustable tension grip with spring and indicator of position

TECHNICAL SPECIFICATION

| | |
|------------------------|--|
| ITEM NUMBER | 17875 |
| MODEL | BS-IT-1829-M |
| BLADE LENGTH | 72" / 1829 mm |
| CUTTING CAPACITY (H*W) | 10.62" x 8.25" / 269.7 x 209.6 mm |
| POWER | 1.5 HP / 1.12 kW |
| ELECTRICAL | 110V/60Hz/1 |
| WEIGHT | 95 lbs. / 43 kg |
| PACKAGING WEIGHT | 110 lbs. / 50 kg |
| DIMENSIONS (WDH) | 20" x 16" x 35" / 508 x 406.4 x 889 mm |
| PACKAGING DIMENSIONS | 26" x 20" x 40" / 660 x 508 x 1016 mm |



Sliding blocks for saw blade cleaning



Blade protection



72" long saw blade



On/Off Switch




Motor




Device portion



Blade tension knob



Driving Pulley



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



FOOD EQUIPMENT

1.5 HP EUROPEAN BAND SAWS WITH 72" BLADE LENGTH AND LARGE BODY



FEATURES


- Stainless Steel AISI 304 work surface
- Stainless Steel AISI 304 portioning device
- Polished Aluminum Meat Pusher
- Die-cast aluminum pulleys for a maximum adherence of the saw blade
- Microswitch to the door
- Adjustable tension grip with spring and indicator of position

TECHNICAL SPECIFICATION

| | |
|------------------------|---|
| ITEM NUMBER | 10254 |
| MODEL | BS-IT-1829-L |
| BLADE LENGTH | 72"/ 1829 mm |
| CUTTING CAPACITY (H*W) | 10.62" x 8.25"/ 269.7 x 209.6 mm |
| POWER | 1.5 HP / 1.12 kW |
| ELECTRICAL | 110V/60Hz/1 |
| WEIGHT | 102 lbs./ 46 kg |
| PACKAGING WEIGHT | 112 lbs./ 50.8 kg |
| DIMENSIONS (WDH) | 22" x 18" x 35"/ 559 x 457 x 889 mm |
| PACKAGING DIMENSIONS | 28" x 22" x 40"/ 711 x 559 x 1016 mm |



Sliding blocks for saw blade cleaning



Blade protection



72" long saw blade



On/Off Switch




Motor




Device portion



Blade tension knob



Driving Pulley



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2015.E.O.E