



FOOD EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

ELITE SERIES STAINLESS STEEL WORK TABLE AND ACCESSORIES



ELITE
SERIES
PREMIUM QUALITY

180 DAYS LIMITED WARRANTY



Authorized Dealer



Elite Series Work table

- 18 Gauge 430 stainless steel
- Support channels are secured via bolt and acorn style nut
- The galvanized under-shelf has rolled die cast leg clamps
- Legs are secured by single set screw design
- Plastic bullet feet



TECHNICAL SPECIFICATION

ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
17577	S.S. Table 24" x 24" / 610 x 610 mm, 4 legs	700 lbs./ 317.5 kg.	34" / 863.6 mm	45 lbs./ 34 kg.	26" x 28" x 6" / 660 x 711 x 152 mm
17578	S.S. Table 24" x 30" / 610 x 762 mm, 4 legs	800 lbs./ 363 kg.	34" / 863.6 mm	51 lbs./ 23 kg.	26" x 32" x 6" / 660 x 813 x 152 mm
17579	S.S. Table 24" x 36" / 610 x 762 mm, 4 legs	900 lbs./ 408 kg.	34" / 863.6 mm	56 lbs./ 25 kg.	26" x 38" x 6" / 660 x 711 x 152 mm
17580	S.S. Table 24" x 48" / 610 x 1219 mm, 4 legs	1000 lbs./ 453.6 kg.	34" / 863.6 mm	70 lbs./ 31.8 kg.	26" x 50" x 6" / 660 x 1270 x 152 mm
*17581	S.S. Table 24" x 60" / 610 x 1524 mm, 4 legs	1100 lbs./ 499 kg.	34" / 863.6 mm	83 lbs./ 37.6 kg.	26" x 62" x 6" / 660 x 1524 x 152 mm
*17582	S.S. Table 24" x 72" / 610 x 1829 mm, 4 legs	1200 lbs./ 544 kg.	34" / 863.6 mm	95 lbs./ 43 kg.	26" x 74" x 6" / 660 x 1880 x 152 mm
*20198	S.S. Table 24" x 84" / 610 x 2134 mm, 6 legs	1500 lbs./ 680 kg.	34" / 863.6 mm	100 lbs./ 45 kg.	26" x 86" x 6" / 660 x 2184 x 152 mm
*18854	S.S. Table 24" x 96" / 610 x 2438 mm, 6 legs	1600 lbs./ 726 kg.	34" / 863.6 mm	110 lbs./ 50 kg.	26" x 98" x 6" / 660 x 2489 x 152 mm
17584	S.S. Table 30" x 30" / 762 x 762 mm, 4 legs	800 lbs./ 363 kg.	34" / 863.6 mm	67 lbs./ 30.4 kg.	33" x 38" x 6" / 838 x 711 x 152 mm
17585	S.S. Table 30" x 36" / 762 x 762 mm, 4 legs	900 lbs./ 408 kg.	34" / 863.6 mm	77 lbs./ 35 kg.	33" x 50" x 6" / 838 x 1270 x 152 mm
*17586	S.S. Table 30" x 48" / 762 x 1219 mm, 4 legs	1100 lbs./ 499 kg.	34" / 863.6 mm	90 lbs./ 40.8 kg.	33" x 63" x 6" / 838 x 1600 x 152 mm
*17587	S.S. Table 30" x 60" / 762 x 1524 mm, 4 legs	1200 lbs./ 544 kg.	34" / 863.6 mm	106 lbs./ 48 kg.	33" x 75" x 6" / 838 x 1905 x 152 mm
*17588	S.S. Table 30" x 72" / 762 x 1829 mm, 4 legs	1300 lbs./ 589.7 kg.	34" / 863.6 mm	145 lbs./ 65.8 kg.	33" x 98" x 6" / 838 x 2489 x 152 mm
*20434	S.S. Table 30" x 84" / 762 x 2134 mm, 6 legs	1600 lbs./ 726 kg.	34" / 863.6 mm	125 lbs./ 57 kg.	33" x 86" x 6" / 838 x 2184 x 152 mm
*18855	S.S. Table 30" x 96" / 762 x 2438 mm, 6 legs	1700 lbs./ 771 kg.	34" / 863.6 mm	145 lbs./ 65.8 kg.	33" x 98" x 6" / 838 x 2489 x 152 mm



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



FOOD EQUIPMENT

ELITE SERIES STAINLESS STEEL WORK TABLE WITH BACKSPLASH



Elite series work table with backsplash

- 18 Gauge 430 stainless steel
- Support channels are secured via bolt and acorn style nut
- The galvanized under-shelf has rolled die cast leg clamps
- Legs are secured by single set screw design
- Plastic bullet feet



TECHNICAL SPECIFICATION

ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
23793	S.S. Table 24" x 24"/ 610 x 610 mm with 4"/ 101.6 mm backsplash, 4 legs	700 lbs./ 317.5 kg.	38"/ 965 mm	50 lbs./ 22.7 kg.	26" x 30" x 10"/ 660 x 762 x 254 mm
23794	S.S. Table 24" x 30"/ 610 x 762 mm with 4"/ 101.6 mm backsplash, 4 legs	800 lbs./ 363 kg.	38"/ 965 mm	55 lbs./ 25 kg.	26" x 36" x 10"/ 660 x 914 x 254 mm
23795	S.S. Table 24" x 36"/ 610 x 1219 mm with 4"/ 101.6 mm backsplash, 4 legs	900 lbs./ 408 kg.	38"/ 965 mm	65 lbs./ 29 kg.	26" x 40" x 10"/ 660 x 1016 x 254 mm
23796	S.S. Table 24" x 48"/ 610 x 1219 mm with 4"/ 101.6 mm backsplash, 4 legs	1000 lbs./ 453.6 kg.	38"/ 965 mm	75 lbs./ 34 kg.	26" x 50" x 10"/ 660 x 1270 x 254 mm
*23797	S.S. Table 24" x 60"/ 610 x 1524 mm with 4"/ 101.6 mm backsplash, 4 legs	1100 lbs./ 499 kg.	38"/ 965 mm	90 lbs./ 41 kg.	26" x 66" x 10"/ 660 x 1676 x 254 mm
*23798	S.S. Table 24" x 72"/ 610 x 1829 mm with 4"/ 101.6 mm backsplash, 4 legs	1200 lbs./ 544 kg.	38"/ 965 mm	100 lbs./ 45 kg.	26" x 75" x 10"/ 660 x 1905 x 254 mm
*23799	S.S. Table 24" x 84"/ 610 x 2134 mm with 4"/ 101.6 mm backsplash, 6 legs	1500 lbs./ 680 kg.	38"/ 965 mm	155 lbs./ 70 kg.	26" x 99" x 10"/ 660 x 2514.6 x 254 mm
*23800	S.S. Table 24" x 96"/ 610 x 2438 mm with 4"/ 101.6 mm backsplash, 6 legs	1600 lbs./ 726 kg.	38"/ 965 mm	165 lbs./ 75 kg.	26" x 99" x 10"/ 660 x 2514.6 x 254 mm
23801	S.S. Table 30" x 30"/ 762 x 762 mm with 4"/ 101.6 mm backsplash, 4 legs	800 lbs./ 363 kg.	38"/ 965 mm	70 lbs./ 32 kg.	33" x 39" x 10"/ 838 x 990.6 x 254 mm
23802	S.S. Table 30" x 36"/ 762 x 762 mm with 4"/ 101.6 mm backsplash, 4 legs	900 lbs./ 408 kg.	38"/ 965 mm	80 lbs./ 36 kg.	33" x 50" x 10"/ 838 x 1270 x 254 mm
23803	S.S. Table 30" x 48"/ 762 x 1219 mm with 4"/ 101.6 mm backsplash, 4 legs	1100 lbs./ 499 kg.	38"/ 965 mm	100 lbs./ 45 kg.	33" x 66" x 10"/ 838 x 1676 x 254 mm
*23804	S.S. Table 30" x 60"/ 762 x 1524 mm with 4"/ 101.6 mm backsplash, 4 legs	1200 lbs./ 544 kg.	38"/ 965 mm	115 lbs./ 52 kg.	33" x 74" x 10"/ 838 x 1879.6 x 254 mm
*23805	S.S. Table 30" x 72"/ 762 x 1829 mm with 4"/ 101.6 mm backsplash, 4 legs	1300 lbs./ 589.7 kg.	38"/ 965 mm	158 lbs./ 71.7 kg.	33" x 86" x 10"/ 838 x 2184 x 254 mm
*23806	S.S. Table 30" x 84"/ 762 x 2134 mm with 4"/ 101.6 mm backsplash, 6 legs	1600 lbs./ 726 kg.	38"/ 965 mm	160 lbs./ 72.6 kg.	33" x 99" x 10"/ 838 x 2514.6 x 254 mm
*23807	S.S. Table 30" x 96"/ 762 x 2134 mm with 4"/ 101.6 mm backsplash, 6 legs	1700 lbs./ 771 kg.	38"/ 965 mm	160 lbs./ 72.6 kg.	33" x 99" x 10"/ 838 x 2514.6 x 254 mm



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers





Under-shelf for Elite series worktable - Galvanized under-shelf with rolled die cast leg clamps



TECHNICAL SPECIFICATION				
ITEM	DESCRIPTION	LOAD CAPACITY	GROSS WEIGHT	GROSS DIMENSIONS
17614	24" x 24" / 610 x 610 mm Undershelf for 17577 and 23793	500 lbs./ 227 kg.	18 lbs./ 8 kg.	20" x 18" x 4" / 508 x 457 x 101.6 mm
17615	24" x 30" / 610 x 762 mm Undershelf for 17578 and 23794	500 lbs./ 227 kg.	20 lbs./ 9 kg.	20" x 26" x 4" / 508 x 660 x 101.6 mm
17616	24" x 36" / 610 x 1219 mm Undershelf for 17579 and 23795	500 lbs./ 227 kg.	24 lbs./ 11 kg.	20" x 32" x 4" / 508 x 813 x 101.6 mm
17617	24" x 48" / 610 x 1219 mm Undershelf for 17580 and 23796	550 lbs./ 250 kg.	35 lbs./ 16 kg.	20" x 53" x 4" / 508 x 1346 x 101.6 mm
*17618	24" x 60" / 610 x 1524 mm Undershelf for 17581 and 23797	550 lbs./ 250 kg.	39 lbs./ 18 kg.	20" x 55" x 4" / 508 x 1397 x 101.6 mm
*17619	24" x 72" / 610 x 1829 mm Undershelf for 17582 and 23798	550 lbs./ 250 kg.	46 lbs./ 21 kg.	20" x 67" x 4" / 508 x 1702 x 101.6 mm
*17620	24" x 84" / 610 x 2134 mm Undershelf for 20198 and 23799	800 lbs./ 363 kg.	54 lbs./ 24 kg.	20" x 80" x 4" / 508 x 2032x 101.6 mm
*17621	24" x 96" / 610 x 2438 mm Undershelf for 18854 and 23800	800 lbs./ 363 kg.	62 lbs./ 28 kg.	20" x 92" x 4" / 508 x 2337 x 101.6 mm
17622	30" x 30" / 762 x 762 mm Undershelf for 17548 and 23801	500 lbs./ 227 kg.	25 lbs./ 11 kg.	26" x 26" x 4" / 508 x 508 x 101.6 mm
17623	30" x 36" / 762 x 762 mm Undershelf for 17585 and 23802	500 lbs./ 227 kg.	30 lbs./ 13.6 kg.	26" x 31" x 4" / 508 x 787 x 101.6 mm
17624	30" x 48" / 762 x 1219 mm Undershelf for 17586 and 23803	550 lbs./ 250 kg.	42 lbs./ 19 kg.	26" x 44" x 4" / 508 x 1178 x 101.6 mm
*17625	30" x 60" / 762 x 1524 mm Undershelf for 17587 and 23804	550 lbs./ 250 kg.	44 lbs./ 20 kg.	26" x 56" x 4" / 508 x 1422 x 101.6 mm
*17626	30" x 72" / 762 x 1829 mm Undershelf for 17588 and 23805	550 lbs./ 250 kg.	51 lbs./ 23 kg.	26" x 68" x 4" / 508 x 1727 x 101.6 mm
*17627	30" x 84" / 762 x 2134 mm Undershelf for 20434 and 23806	800 lbs./ 363 kg.	59 lbs./ 26.8 kg.	26" x 80" x 4" / 508 x 2032 x 101.6 mm
*17628	30" x 96" / 762 x 2134 mm Undershelf for 18855 and 23807	800 lbs./ 363 kg.	77 lbs./ 35 kg.	26" x 92" x 4" / 508 x 2337 x 101.6 mm

Bullet feet

TECHNICAL SPECIFICATION	
ITEM	DESCRIPTION
39313	Stainless Steel Bullet Foot
23510	Plastic Bullet Foot
23520	Bullet Foot- Plastic Inside Stainless Steel Outside



23520



23510



39313

OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

